


7450

50 liter Square drum



For dimensional tolerances see table on next page

Product part	Product code	Materials
Drum	7450	HDPE
Lid	7055	HDPE
Gasket	H14-306	EPDM
Handle	6800	HDPE

Capacity	Liters	US Gallons
Brimful	52	13.7
When closed	50	13.2

Weight	Grams	Ounces
Drum	2540	122
Lid	598	89.6
Gasket	30	1.06
Handles	90	3.18
Total	3258	114.9

Colors	Color code	PMS references
Drum	White 004	/
Lid	Red 402	199 C
Handle	Black 101	/

Hazardous material information	
Hazardous material type	Solids
Packaging group	I – II – III
UN marking	1H2W/X54/S/--/NL/CURTEC 180550
Maximum gross mass (kg)	X=54 Y=81 Z=81

Product identification	Container	Lid
Manufacturer ID	Bottom	--
Country of origin	Bottom	--
Product code	Bottom	--
Recycle logo / Material type	Bottom	Inside
Date clock	Bottom	Inside
UN mark	Side wall	--
Food logo	Bottom	--
Material track clock	Bottom	--

Other information
Maximum filling temperature is 70°C/ 158°F Contents must have cooled to 30°C/ 86°F before containers can be closed and stacked DoC available on request UN certificate available on request MVTR declaration available on request Watertightness declaration available on request Other colours available on request User manual available on request

Wall thickness	mm
Minimal wall thickness	≥2.2
Nominal wall thickness	≥2.7

Dimensional tolerances	%
Height	±2.5
Diameter	±1.5

Weight tolerance
All products have a tolerance of ±4% on the initial weight mentioned on this data sheet

DISCLAIMER

CurTec manufactures packaging material for a wide range of purposes. This declaration is restricted to the packaging material as it leaves the production facility. CurTec has neither control over final end use of the product nor over processing conditions. It is therefore the responsibility of the end user to check compliance with the relevant regulations and to validate material performance in the end application through proper end use testing.

© 2018 Property of CurTec International B.V. All rights explicitly reserved, it is not allowed to copy or communicate to other parties without written consent of CurTec.