

Packaging - Specification ECOBULK


SCHÜTZ

Transportcontainer ECOBULK 1000 ltr.
MX1000 UN 1,6 Nat/150R TP
Bfly 50 00 Met 3PCA/Steel frame
2-Plt LG:LG/TI

SCHÜTZ (UK) LIMITED
Claylands Ave Dukeries Ind. Estate
WORKSOP NOTTS S81 7BE
UNITED KINGDOM

Article-No. 4000900

Date May 4, 2020
Page 1 / 3



This picture is for illustration purpose only and does not necessarily correspond to the specified product.

Weights and measures

Nominal Capacity	1.000 l	275 gal US
Brimful Capacity	1.060 l	280.027 gal US
Length	1,200 mm	47.240 in
Width	1,000 mm	39.370 in
Height with pallet	1,160 mm	45.670 in
Total weight approx.	54.1 kg	119.2 lbs US

Pallet

Pallet type	Steel-framepallet, zincd
Opening height	min. 90mm, 4-way entry

Packaging - Specification

ECOBULK

SCHÜTZ

Transportcontainer ECOBULK 1000 ltr.
MX1000 UN 1,6 Nat/150R TP
Bfly 50 00 Met 3PCA/Steel frame
2-Plt LG:LG/TI



SCHÜTZ (UK) LIMITED
Claylands Ave Dukeries Ind. Estate
WORKSOP NOTTS S81 7BE
UNITED KINGDOM

Article-No. 4000900

Date May 4, 2020
Page 2 / 3

Outer container

Grid	Steel, galvanized
Bottom plate	Steel, galvanized
Label plate	large - 6 field, with Schütz-Ticket
additional label plate	back side - standard




Inner container

Rectangular blow molded tank of high density polyethylene
Container PE-HD, natural

Filling opening

Screw cap DN150 / 6", PE-HD, red
O-ring gasket TPE



Plug

without Plug

Packaging - Specification ECOBULK

SCHÜTZ

Transportcontainer ECOBULK 1000 ltr.
MX1000 UN 1,6 Nat/150R TP
Bfly 50 00 Met 3PCA/Steel frame
2-Plt LG:LG/TI


SCHÜTZ (UK) LIMITED
Claylands Ave Dukeries Ind. Estate
WORKSOP NOTTS S81 7BE
UNITED KINGDOM

Article-No. **4000900**

Date May 4, 2020
Page 3 / 3

Discharge opening

Outlet valve	integr.butterfly-valve DN50/2"
Case	PE-HD
Connection thread	metric
Flap gasket / Ball gasket	PP
Handle color	blue, Handle protection
Screw cap	PE-HD
Screw cap gasket	PE, foamed
Screw cap color	black
Outlet nozzle	PE-HD



Features

UN-Marking

UN_31HA1/Y/MM YY/D/BAM14976-SCHÜTZ#/4056/1722/1060L/54KG/100KPA

Heavy metals

Concentration level of heavy metals (Pb, Cd, Cr VI and Hg) in packaging does not exceed 100 ppm

Delivery

Ready for filling. The customer or filler is responsible for testing the material compatibility of the filling material with the packaging

This specification is produced and delivered according to the current status of the SCHÜTZ "Quality Management Standard for the Supply of Packaging Products" which can be viewed under the following link:

www.schuetz.net/qmstandard